


flexyPage Displays

DM-Line 38 (94 cm)

Model: 2019 24V
Mechanical Drawings



About flexyPage documentation

This document provides an overview of possibilities of what can be realised with the flexyPage system. It constitutes only a small part of the whole documentation and is undergoing continual improvement.



The documents, images, graphics and videos, as well as hard and software are protected by copyright. It is prohibited to copy or circulate this document without prior written consent. Translations do also require a written declaration of consent. The ELFIN GmbH is sole contact regarding copies, translations and similar concerns.

This documentation is continuously revised and updated with the greatest of care. Nevertheless, errors cannot be excluded. We are pleased to hear your comments, helpful references and suggestions about this documentation. Please contact our sales department or support for that.

The ELFIN GmbH will not accept any liability for errors or any potential damage and their consequences in conjunction with delivery or usage of this document.

Please carefully read the user manuals, product data sheets, safety instructions and mounting instructions before using!




The actual user manual as well as other documents and application cases can be found at the product website:

| | |
|--------------------------------------|---|
| Introduction to the flexyPage system | flexypage.de/en/documentation |
| Quick starting guide | flexypage.de/en/documentation |
| Video tutorials | flexypage.de/en/tags/video-tutorials |
| flexyPage user manual | flexypage.de/en/documentation |
| Widget descriptions | flexypage.de/en/doc/widget-descriptions |
| Product data sheets | flexypage.de/en/documentation |
| Frequently asked questions | flexypage.de/en/faq |
| Sales contact | flexypage.de/en/sales |
| Support contact | flexypage.de/en/support |
| Manufacture homepage | elfin.de |

NOTES:

1. FRONT GLASS 3.0mm ANTI-GLARE THERMALLY TOUGHENED, GROUND AND POLISHED WITH AN R3 PENCIL EDGE
2. HARD COATED POLYESTER FILM
3. ACTIVE AREA - BLACKENED WIRE
4. PRINTED BLACK STRAIGHT LINE BORDER ON REAR FACE OF GLASS 1.2mm(±0.5mm) AWAY FROM GLASS EDGE
5. FLEXIBLE CABLE
6. SERIAL NUMBER STICKER ON FLEXI TAIL
7. KAPTON TAPE - TAPE TO NOT BE VISIBLE WHEN VIEWED FROM FRONT

DRAWING VIEWED FROM THE FRONT



| | | | |
|--|--|------------------|-----------------|
| Order No.: subject to modifications | Title Glass with Touch sensor DM-Line 38 (94 cm) open frame touch | | |
| | Drawing No.: fel4B-05A-380B_glass_touch_V1.0 | | |
| Tolerances +/- 0,1 mm | Scale: | Date: 2018-01-01 | Drawn by: JHell |

Document history

| Version | Release Date | Changes |
|---------|--------------|-------------------|
| 0.9 | 2018-01-16 | Pre version |
| 0.91 | 2018-05-02 | Glass Touch added |
| 0.92 | 2018-06-18 | typo |

Your contact persons at ELFIN

Even an extensive documentation cannot answer every question. Do you still have questions or suggestions concerning our flexyPage system? We look forward to your requests! Please don't hesitate to contact us at:

ELFIN GmbH

Siegburger Strasse 215

50679 Cologne

Germany

Phone: +49 (221) 6778932-0

FAX: +49 (221) 6778932-2

service@elfin.de

www.elfin.de



Sales flexyPage

flexypage.de/en/sales

Phone: +49 (221) 6430816-2

FAX: +49 (221) 6778932-2

sales@flexyPage.de



innovative display solutions

Support flexyPage

flexypage.de/en/support

Phone: +49 (221) 6430816-3

support@flexyPage.de